Printing date 02/21/2017



# 1 Identification

- · Product identifier
- · Trade name: 2900-Series Seam Sealers
- · Article number: 29362, 29372, 29382, 29392
- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEM Products Inc.

1685 Overview Drive

Rock Hill, SC 29730

803 207 8225

· Information department:

cust\_care@semproducts.com: SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730: phone 1-800-831-

1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

Silane Terminated Polymer

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves / eye protection / face protection.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)



Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

(Contd. of page 1)

P312 Call a POISON CENTER/doctor if you feel unwell. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 *If eye irritation persists: Get medical advice/attention.* P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

	· Dangerous components:		
	75009-88-1	Silane Terminated Polymer	40 - 60%
Г	13463-67-7	titanium dioxide	7 - 10%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

SEM

Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	J		
· <i>PAC-1</i> :			
13463-67-7	titanium dioxide	30 mg/m3	
1333-86-4	Carbon black	9 mg/m3	
7631-86-9	silicon dioxide, chemically prepared	18 mg/m3	
21645-51-2	aluminium hydroxide	8.7 mg/m3	
· PAC-2:	· PAC-2:		
13463-67-7	titanium dioxide	330 mg/m3	
1333-86-4	Carbon black	99 mg/m3	
7631-86-9	silicon dioxide, chemically prepared	740 mg/m3	
21645-51-2	aluminium hydroxide	73 mg/m3	
· PAC-3:	· PAC-3:		
13463-67-7	titanium dioxide	2,000 mg/m3	
1333-86-4	Carbon black	590 mg/m3	
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m3	
21645-51-2	aluminium hydroxide	440 mg/m3	

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

SEM

Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 13463-67-7 titanium dioxide

PEL Long-term value: 15\* mg/m³
\*total dust

REL See Pocket Guide App. A

TLV Long-term value: 10 mg/m³

withdrawn from NIC

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

(Contd. of page 4)

# · Eye protection:



Tightly sealed goggles

Information on basic physical and chemical properties General Information Appearance:				
Color:	According to product specification			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	2501 °C			
Flash point:	98 °C			
Flammability (solid, gaseous):	Not determined.			
Ignition temperature:				
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard. In use, may form flammable/explosive vapour-air mixture.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure:	Not applicable.			
Density at 20 °C:	1.54955 g/cm <sup>3</sup>			
Relative density	Not determined.			
Vapor density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water:	Insoluble.			
Partition coefficient (n-octanol/wat	t <b>er):</b> Not determined.			
Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			

(Contd. on page 6)



Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

 VOC content:
 0.0 g/l / 0.00 lb/gl

 VOC content:
 0.0 g/l / 0.00 lb/gl

 Solids content:
 100.0 %

 Other information
 No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
13463-67-7	titanium dioxide	2B
1333-86-4	Carbon black	2B
7631-86-9	silicon dioxide, chemically prepared	3

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

SEM

Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
· UN ''Model Regulation'':	Void

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- $\cdot$  Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 8)



Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

		(Contd. of page 7
TSCA (Toxi	ic Substances Control Act):	
1317-65-3	GROUND CALCIUM CARBONATE	
13463-67-7	titanium dioxide	
1333-86-4	Carbon black	
7631-86-9	silicon dioxide, chemically prepared	
21645-51-2	aluminium hydroxide	
Proposition	65	
Chemicals k	nown to cause cancer:	
13463-67-7	titanium dioxide	
1333-86-4	Carbon black	
· Chemicals known to cause reproductive toxicity for females:  None of the ingredients is listed.      · Chemicals known to cause reproductive toxicity for males:		
None of the	ingredients is listed.	
Chemicals known to cause developmental toxicity:		
None of the	ingredients is listed.	
Cancerogen	ity categories	
· EPA (Envir	onmental Protection Agency)	
None of the	ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)		
13463-67-7	titanium dioxide	A4
1333-86-4	Carbon black	A4
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms

1333-86-4 Carbon black



· Signal word Warning

· Hazard-determining components of labeling:

Silane Terminated Polymer

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P280* Wear protective gloves / eye protection / face protection.

*P264* Wash thoroughly after handling.

*Use only outdoors or in a well-ventilated area.* 

(Contd. on page 9)



Printing date 02/21/2017 Reviewed on 02/21/2017

Trade name: 2900-Series Seam Sealers

(Contd. of page 8)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

*P302+P352 IF ON SKIN: Wash with plenty of water.* 

*P362+P364* Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Steve Gaver (sgaver@semproducts.com)
- · Date of preparation / last revision 02/21/2017 / 5
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

USA