

### **Norton Accessories... for Superior Performance.**

For superior sanding performance, Norton sanding accessories are made of top quality materials. Use of these products will enhance and improve Norton product performance.

#### **Norton Automotive Refinishing Utility Cabinet**



## 1

features rugged, heavy gauge steel to protect your materials. It has two adjustable shelves and a security latch for locking all

**Automotive Utility Cabinet** 

doors. You can store all of your abrasives, tapes and chemicals, while keeping them clean, dry and secure. The sidewalls are prepunched to mount 6 Norton disc roll/sheet roll dispensers.



**The Adhesives & Sealers Cabinet** is heavy gauge steel and will hold all of the Norton Adhesive and Sealers keeping them dry, clean and secure.

SIZE	32"W X 13"D X	26"H CASE
DESCRIPTION	636425-	
Automotive Utility Cabinet	42770	1

SIZE	15"W X 13"D X 30	"H CASE
DESCRIPTION	636425-	
Adhesives & Sealers Cabinet	02532	1

#### **Norton Bucket**




Pre-soak waterproof paper in this sturdy blue bucket.

		CASE
DESCRIPTION	636425-	
Bucket	04413	5
	.,,	

#### **Rubber Hand Sanding Block**

Ideal for uniform sanding. Can be used for dry or wet sanding. Uses a  $2-3/4" \times 9"$  sheet which is 1/4 of a standard  $9" \times 11"$  sheet. Slotted jaws securely hold sheets in place.



#### **Ergonomic Hand Sanding Block for 6" Discs**



The unique design quickly converts a 6" diameter PSA or Speed-Grip disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatique.

		CASE
DESCRIPTION	636425-	
For 6" PSA Discs	03727	5
For 6" Speed-Grip Discs	03726	5

#### **Dual Density Wet Sanding Block**



Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

		CASE
DESCRIPTION	636425-	
Wet Sanding Block	03728	12

#### **Holey Block**



A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

		CASE
DESCRIPTION	636425-	
Holey Block	03729	8

#### **Blue Magnet Micro-Fiber Wipe**



Picks up dirt like a magnet with thousands of advanced microfabric fibers. Can hold 7 times its weight in water. Perfect for fine detailing.





#### **Pin Stripe Removal Wheel**



This wheel is designed to remove pinstripes, decals and molding adhesive without damage to the underlying surface. Tan colored, it is 4" diameter, 5/8" thick with a 1/16" step and has a 5/16-24 attached threaded mandrel.

	/MONTON/ 05624	PKG	PKG/CASE
DESCRIPTION	636425-		
Pin Stripe Removal Wheel	05624	1	5
3/8" Drill Adapter	36135	1	1

#### **Norton Sanding Board, Speed-Grip Sanding Board and Air File Shoe**

The Norton Sanding Board has a cushioned surface. Spring clips mounted at each end securely hold 2-3/4" x 17-1/2" abrasive sheets, or may be used with 2-3/4" by 16-1/2" PSA sheets.

The Speed-Grip Sanding Board has a lightweight, rugged design for easy sanding of plastic fillers. Spring clips at each end securely hold 2-3/4" x 17-1/2" sheets or may be used with 2-3/4" x 16-1/2" Speed-Grip sheets.

The Speed-Grip Air File Shoe eliminates the need for clips. The quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of Speed-Grip file sheets.

		PKG	PKG/CASE
DESCRIPTION	636425-		
Body File Board	42724	1	6
Speed-Grip Sanding Board	52836	1	5
Speed-Grip Air File Shoe	52835	1	5

#### **Multi-Air Replacement Bag**



For Hutchins self-generating vacuum D/A sander

	BAG	PACKAGE	PKG/CASE
	636425-		
Replacement Bag	41423	5	1

#### **Norton Automotive Disc Roll and Sheet Roll Dispensers**





Norton Automotive Disc and Sheet Roll Dispensers feature heavy duty
construction and a rubberized finish, designed to protect your
product, as well as the finish on your workpiece. Norton dispensers

		GASE
DESCRIPTION	636425-	
Double Disc Roll Dispenser	02981	1
Single Disc Roll Dispenser	42772	1
Sheet Roll Dispenser	42773	1

are versatile, for use with any 5" or 6" disc roll or sheet roll. They can be attached to a wall, mounted on a Norton Utility Cabinet, or stacked upon other Norton dispensers.

#### **Norton Tack Cloths**



The Norton Tack Cloth is a soft cloth impregnated with a special formula that effectively removes dust, dirt and sanding residue. It contains no waxes or silicones, and is compatible with all paints and lacquers, even polyurethane and epoxy paints. This cloth is always soft and tacky, and will never dry out. It is also spontaneous combustion proof, non-toxic and anti-static.

SIZE	18" X 36"	PACKAGE	PKG/CASE
DESCRIPTION	076607-		
Tack Cloth	49008	12	12

#### **SoftTouch Sponges**



The finishing action of sponges generates a finer finish than conventional coated abrasive products.

FINISH
GENERATED P180/P120
P400/P320
P600/P500
P1000/P800
P1500/P1200

DESCRIPTION	076607-			
Medium	03074	20	4	
Fine	03075	20	4	
Super Fine	03076	20	4	
Ultra Fine	03077	20	4	
Micro Fine	03078	20	4	

4-1/2" X 5-1/2" X 3/16" PACKAGE

#### **Benefits of SoftTouch sponges:**

- Can be used wet or dry
- Fits comfortably in your hand
- Flexible design for multiple applications
- Uniform finish

#### **Applications:**

Medium - scuff, shaping filler

Fine - feather-edge, scuffing primer, scuffing new parts before painting

Super Fine - preparing panel for base coat

Ultra Fine - sanding base coat, removing clear coat defects Micro Fine - clear coat sanding, removing minor defects




#### **Low Profile Back-Up Pads for Dual Action/Random Orbital Sanders**



The low profile design (1/2" thick) is specifically balanced to eliminate vibration to enhance fine grit sanding. Designed with medium density polyurethane foam for conformability, these pads are firm enough for flat surfaces. The vacuum is available in standard 5-hole pattern or a 6-hole pattern. The backing plate is fiberglass with a riveted 5/16"-24 threaded shank.

#### **PSA**

SIZE	PSA	PSA VAC	RPM	CASE
	636425-	636425-		
5" Low Profile	03112	03113	10000	5
6" Low Profile	05581	05583	10000	5



#### **Speed-Grip Disc Back-Up Pads**



Designed exclusively for use with Speed-Grip discs, the pad face has numerous hooks designed to securely lock the disc to the pad, permitting easy application and removal.

3", 5" and 6" diameter pads have


3", 5" and 6" diameter pads have 5/16"-24 threaded shank; the 8" diameter pad has a 5/8"-11 threaded female hub. All pads have a tapered edge.

Plain						Second
SIZE	3"	5"	6"	8"	RPM	CASE
DESCRIPTION	636425-	636425-	636425-	636425-		
Speed-Grip	04295	_	_	_	12000	10
Back-Up	_	_	43856	_	10000	5
Pads	_	-	_	43704	3200	5
Value Back-Up Pads		84502	84602	_	10000	1

# Vacuum SIZE 6" 8" - 5 SCREW 8" - 6 SCREW RPM CASE DESCRIPTION 636425-

#### **PSA Conversion Discs and Strips**


Permanent adhesive on textile hook backing allows for easy conversion of Stick and Sand Pads to Speed-Grip.



DESCRIPTION	636425-	636425-	636425-	
Disc	02470	02471	_	20
Strip	-	_	02472	20


#### **Foam Speed-Grip Interface Pads**

Designed for use with our fine grit Speed-Grip sanding discs. Improves both surface finish and cut rate. Use with Speed-Grip Disc Back-Up Pads.



#### **Speed-Lok Disc Back-Up Pads**








Designed for use with Speed-Lok cloth discs. Each disc has a built-in center hub that enables Speed-Lok discs to be mounted, locked in place, and removed quickly and easily with a simple twist.

#### **Speed-Lok TR Disc Back-Up Pads**







Speed-Lok TR Disc Back-Up Pads are for use with Speed-Lok TR Discs. Easily mounted and locked in place, these durably constructed back-up pads are expressly designed to fit all Norton TR discs as well as similar competitive designs.



#### **Bear-Tex Speed-Grip Disc Back-Up Pads**



Gripper-faced back-up pads provide easy, "press-on" mounting to firmly anchor Bear-Tex Surface Blending Discs.

SIZE	4"	7"	RPM	CASE
DESCR.	662610-	662610-		
Bear-Tex	59356	_	18000	5
Back-Up Pads	-	59368	6000	5

4" PADS HAVE A 1/4" SHANK.
7" PADS HAVE 5/8-11 FEMALE THREAD.

#### **Glue-On Disc Back-Up Pads**

For paper or cloth discs, Glue-On Disc Back-Up Pads have a specially designed fabric inlaid into the pad surface that permits even distribution of manually applied disc adhesive (refer to Disc Adhesive, page 45).

SIZE	5"	6"	RPM	CASE
DESCRIPTION	636425-	636425-		
Glue-On Back-Up Pads	43400	43401	10000	10

#### **Stick and Sand Disc Back-Up Pads**



Designed for use with all PSA (pressure sensitive adhesive) backed discs. Made of epoxyglass and molded rubber, the 6" pads (3/4" thick) have a 5/16"-24 threaded shank for use on random orbital or dual action sanders. The 8" pad has a 5/8"-11 threaded female hub.

SIZE	6"	8"	RPM	CASE
DESCRIPTION	636425-	636425-		
Stick and Sand	43852	_	10000	5
Back-Up Pads	_	43112	6000	5
Value Back-Up Pads	84600	-	10000	1
SIZE	6" VAC	8" VAC - 6 SCREW	RPM	CASE

 DESCRIPTION
 636425 636425 

 Stick and Sand Vacuum
 43853
 10000
 5

 Back-Up Pads
 43728
 1500
 1

#### **Air-Cooled Back-Up Pads**



For fibre discs and Bear-Tex abrasive brushes, these pads are designed for medium to heavy grinding applications. Slotted aluminum hub plus curved ribs on rubber face of pad promote a cooler cutting action to reduce loading and increase abrasive life by up to 20%. Fits 5/8"-11 arbor. Choose medium density for all-purpose grinding; hard density for a more aggressive cut. Select retainer nut for pad of your choice.

SIZE	5"	7"	9"	RPM	CASE
į					
DESCRIPTION	636425-	636425-	636425-		
Med. No Nose	03000	_	_	10000	5
Medium	43421	_	_	10000	5
Medium	_	43422	_	7000	5
Medium	_	_	43423	6600	5
Firm	_	43425	_	8600	5
					CASE





DESCRIPTION	636425-	
#103 Retainer Nut for 5" Pad	43463	10
#834 Retainer Nut Spanner Wrench	43005	5

#### **Sanding Blocks**



#### **PSA Sanding Blocks-Firm**

Constructed of Sturdy, high strength, durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

#### **Speed-Grip Sanding Blocks-Firm**

Constructed of Sturdy, high strength, durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The hook & loop face works with Speed-Grip and standard hook & loop sheets.

#### **PSA Sanding Blocks-Soft**

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good both both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

#### **Speed-Grip Sanding Blocks-Soft**

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good both both flat surfaces as well as contours. The hook & loop face works with Speed-Grip and standard hook & loop sheets.



DESCRIPTION	636425-	636425-	
Soft – PSA	42090	_	5
Firm – PSA	42091	_	5
Soft – Speed-Grip	42092	_	5
Firm – Speed-Grip	42093	_	5
Firm – PSA	-	42094	5
Firm – Speed-Grip	-	42095	5

