

Meguiar's USA **17991 Mitchell South** Irvine, CA 92614 Tel: 949-752-8000 Fax: 949-752-5784

In case of emergency or spill, contact CHEMTREC at 800-424-9300

# MATERIAL SAFETY DATA SHEET

## **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**

### Product Name: G118 - COLORX

Print date: 06/02/2010

**Reference Number:** 19-143F

Prepared Date: 02/05/2010

Use of the Substance/Preparation

**Recommended use:** 

Not applicable

### Company/Undertaking Identification

Meguia	r's Holland	
Laan de	er Verenigde	Naties 40
33174 E	DA Dordrecht	
Holland		
Tel: 31	-78-6210268	

Meguiar's Hong Kong Suite 6-7, 20/F Marina House 3 rud de Verdun - Bât. D 68 Hing Man Street Shaukeiwan Hong Kong Tel: 852-2967-0202

Meguiar's France 78590 Noisy Le Roi France Tel: 33-1-30-80-02-16

### Meguiar's UK Ltd. 3 Lamport Court Heartlands Daventry NN11 8UF Tel: 0870 241 6696 Fax: 01327 300 116

## 2. HAZARDS IDENTIFICATION

Most important hazards:

This product contains chemicals listed on Canada WHMIS. See Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Hazardous Ingredients					
Components	CAS #	% Weight	OSHA PEL TWA	EINECS No.	Classification
Isoparaffinic Hydrocarbon	64742-47-8	5-10	None	265-149-8	Xn; R65
Kaolin	1332-58-7	5-15	10mg/m <sup>3</sup>	310-194-1	R42
Soribitan Sesquioleate	8007-43-0	1-5	None	232-360-1	
Isoparaffinic Hydrocarbon	64742-48-9	5-15	None	265-150-3	Xn; R-65
Hydrotreated Distillate	64742-46-7	.5-2	None	265-148-2	265-148-2

## **4. FIRST AID MEASURES**

**General Advice:** In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Inhalation:

Avoid breathing vapors or mists. Move to fresh air. Consult a physician.

Skin contact:

Wash off immediately with plenty of water for at least 15 minutes If skin irritation persists, call a physician.

Eye contact:

Ingestion:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician if necessary. Do not induce vomiting without medical advice. If a person vomits when lying on his back, place him in the recovery position.

## **5. FIRE-FIGHTING MEASURES**

NFPA:

Health: 1

Flammability: 1

Reactivity: 0

Suitable extinguishing media:

Use dry chemical, CO2, water spray or alcohol-resistant foam.

**Specific hazards:** Not applicable

Special protective equipment for firefighters:

In the event of fire, wear self-contained breathing apparatus.

**Extinguishing media which must not be used for safety reasons:** Not applicable

### Specific methods:

Not applicable

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Ensure adequate ventilation. Avoid contact with skin and eyes
Environmental precautions:	Local authorities should be advised if significant spillages cannot be contained. Do not contaminate surface water. Prevent further leakage or spillage.
Methods for cleaning up:	Package all material in plastic, cardboard or metal containers for disposal in compliance with the environment protection (duty of care) regulations 1991.

## 7. HANDLING AND STORAGE

### Handling:

**Technical measures/precautions:** Use only in area well ventilated area

### Safe handling advice:

None under normal processing

### Storage:

Store at room temperature in the original container. Do not freeze.

### Incompatible products:

No materials to be specially mentioned

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Engineering measures to reduce exposure:	Ensure adequate ventilation
Respiratory protection:	No personal respiratory protective equipment normally required.
Skin and body protection:	Not applicable.
Eye protection:	Avoid contact with eyes. If splashes are likely to occur, wear:. Goggles.
Hand protection:	Preventative skin protection: Neoprene gloves recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

### **General Information**

Appearance: Not applicable Color: Blue

Physical state: Liquid Odor: Pleasant

### Important Health Safety and Environmental Information

рН @70° F:
Flash point:
Boiling point/range:
Water Solubility:
Vapor density:
Specific gravity:
Evaporation rate:
VOC content:

9.00 200 (°F), 93 (°C ) **Method:** PMCC-ASTM D93-90 390 (°F), 199 (°C) Moderately soluble >1 1.00 <1 24%

## **10. STABILITY AND REACTIVITY**

Stability:	Stable under recommended storage conditions.
Polymerization:	None under normal processing.
Conditions to avoid:	Extremes of temperature and direct sunlight
Materials to avoid:	Strong acids and strong bases, Strong oxidizing agents
Hazardous decomposition products:	Not determined

## **11. TOXICOLOGICAL INFORMATION**

### **Component Information**

Additional Information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No information available

### **Component Information**

**Ecotoxicity effects:** 

Not determined

### **13. DISPOSAL CONSIDERATIONS**

#### Waste from residues / unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

#### Contaminated packaging:

Disposal must be made according to local and federal regulations.

#### Ewc waste disposal no:

Not applicable

### **Further information**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

### **14. TRANSPORT INFORMATION**

**General Transportation Statement** 

This product does not require classification by DOT, IATA, ICAO or IMDG.

### Other information:

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

### **15. REGULATORY INFORMATION**

Components	TSCA	DSL/NDSL	Canada - WHMIS Classification
Isoparaffinic Hydrocarbon 64742-47-8	Present	Present	
Kaolin 1332-58-7	Present	Present	D2B
Soribitan Sesquioleate 8007-43-0	Present	Present	
Isoparaffinic Hydrocarbon 64742-48-9	Present	Present	
Hydrotreated Distillate 64742-46-7	Present	Present	

### CERCLA/SARA 313 Emission reporting

None

## **16. OTHER INFORMATION**

Prepared by: Literary reference: Health & Safety None **Disclaimer:** 

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

### End of Safety Data Sheet