

acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Version number: GHS 1.0 Date of compilation: 2015-04-21 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier** Trade name A1+ Pure Compound + 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses vehicle polishing compound Details of the supplier of the safety data sheet 1.3 **B&B Blending, LLC** 10963 Leroy Drive Northglenn CO 80233 United States Telephone: 1.800.875.6320, 1.303.289.6320 Telefax e-mail: info@bbblending.com Website: bbblending.com Competent person responsible for the SDS Robert Blahnik e-mail (competent person) bblahnik@bbblending.com 1.4 **Emergency telephone number** Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex	- Hazard class and category	- Hazard statement code(s)	
A.10	aspiration hazard	Cat. 1 (Asp. Tox. 1)	H304

Remarks

For full text of H-phrases: see SECTION 16.

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and chronic).

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word danger Pictograms

GHS08





acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

 Version number: GHS 1.0
 Date of compilation: 2015-04-21

 Hazard statements H304
 May be fatal if swallowed and enters airways.

 Precautionary statements Precautionary statements - response
 Precautionary statements - response

 IF SWALLOWED: immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
 Precautionary statements - storage

 Store locked up.
 Precautionary statements - disposal
 Dispose of contents/container to industrial combustion plant.

 Hazardous ingredients for labelling
 Distillates (petroleum), hydrotreated light

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Hazard o	class and category	Hazard state- ment
Distillates (petroleum), hydrotreated light	CAS No 64742-47-8	10 - < 25	B.6 A.10	Flam. Liq. 4 Asp. Tox. 1	H227 H304
Solvent naphtha (petroleum), heavy aromatic	CAS No 64742-94-5	1 - < 5	B.6 A.11 A.2 A.8D A.10	Flam. Liq. 4 Acute Tox. 3 Skin Irrit. 2 STOT SE 3 Asp. Tox. 1	H227 H331 H315 H336 H304
Solvent naphtha (petroleum), heavy aliph.	CAS No 64742-96-7	1 - < 5	B.6 A.1I A.10	Flam. Liq. 3 Acute Tox. 3 Asp. Tox. 1	H226 H331 H304
Distillates (petroleum), hydrotreated heavy naphthenic	CAS No 64742-52-5	1 - < 5	A.11 A.10	Acute Tox. 4 Asp. Tox. 1	H332 H304
Distillates (petroleum), hydrotreated light naphthenic	CAS No 64742-53-6	1 - < 5	A.11 A.10	Acute Tox. 4 Asp. Tox. 1	H332 H304



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Version number: GHS 1.0

Date of compilation: 2015-04-21

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Version number: GHS 1.0

Date of compilation: 2015-04-21

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe compatible storage of chemicals.



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Version number: GHS 1.0

Date of compilation: 2015-04-21

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Date of compilation: 2015-04-21

Version number: GHS 1.0 **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties 9.1 Appearance Physical state liquid (viscous) off-white Color Odor characteristic Other physical and chemical parameters pH (value) not determined Melting point/freezing point not determined Initial boiling point and boiling range 90 °C Flash point >100 °C at 101.3 kPa (closed cup) Evaporation rate not determined Flammability (solid, gas) not relevant (fluid) Explosive limits lower explosion limit (LEL) 0.8 vol% 5.9 vol% upper explosion limit (UEL) Vapor pressure 31.69 hPa at 25 °C 1.19⁹/_{cm³} 9.94lbs/US Gal Density Solubility(ies) not determined Partition coefficient n-octanol/water (log KOW) This information is not available. 220 °C Auto-ignition temperature Viscosity not determined Explosive properties none Oxidizing properties none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Version number: GHS 1.0

Date of compilation: 2015-04-21

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

10.5 Incompatible materials

There is no additional information.

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	inhalation: vapor	>5.28
Solvent naphtha (petroleum), heavy aliph.	64742-96-7	inhalation: vapor	>5.28
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	inhalation: vapor	11
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	inhalation: dust/mist	2.18
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	inhalation: vapor	11
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	inhalation: dust/mist	2.18

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Date of compilation: 2015-04-21

Version number: GHS 1.0

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

- National Toxicology Program (United States):
- IARC Monographs

none of the ingredients are listed none of the ingredients are listed

· IANC Monographs

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

- **12.2 Process of degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Other adverse effects** Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Version number: GHS 1.0

Date of compilation: 2015-04-21

13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es) Class
- 14.4 Packing group
- **14.5** Environmental hazards

(not subject to transport regulations)

not relevant

not relevant

none (non-environmentally hazardous acc. to the dangerous goods regulations)

- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

SARA TITLE III (Superfund Amendment and Reauthorization Act)

List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section none of the ingredients are listed 302 and 304)

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
Chronic	/	None.
Health	0	No significant risk to health.
Flammability	1	Materials that must be preheated before ignition can occur.
Physical hazard	0	Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.
Personal protective equipment	-	



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Date of compilation: 2015-04-21

Version number: GHS 1.0

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) - National Fire Protection Association (United States)

Category	Degree of hazard	Description
Flammability	1	Materials that must be preheated before ignition can occur.
Health	0	Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material.
Instability	0	Materials that are normally stable, even under fire conditions.
Special hazard		

Proposition 65 List of chemicals

none of the ingredients are listed

Relevant European Union (EU) safety, health and environmental provisions

Classification according to GHS (1272/2008/EC, CLP)

Hazard class
aspiration hazard
hazardous to the aquatic environment - chronic hazard

Category	Hazard class and category
1	(Asp. Tox. 1)
3	(Aquatic Chronic 3)

SECTION 16: Other information

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
Asp. Tox.	aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic



acc. to OSHA, Appendix D to § 1910.1200

A1+ Pure Compound +

Date of compilation: 2015-04-21

Version number: GHS 1.0

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
vPvB	very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
- 49 CFR § 172.101 Hazardous Materials Table (DOT)

16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapor
H227	combustible liquid
H304	may be fatal if swallowed and enters airways
H315	causes skin irritation
H331	toxic if inhaled
H332	harmful if inhaled
H336	may cause drowsiness or dizziness

16.7

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.